

## Betel Nut Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2009, 2011

*Note: Weighted counts rounded to the nearest hundred; weighted percentages, positive responses only; public high school and middle school data; n/r (Not Reportable) - Unweighted respondents less than 35*

*The weighted data is not available for middle school for 2000 or high school for 2003. Questions for certain health indicators were not asked in all years.*

*Below are the indicators included in this report, with their long description.*

YTS Health Indicator	Health Ind Desc
Ever chewed betel nut with tobacco, all	Students who have ever chewed betel nut with tobacco

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access YTS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access Hawai'i Data Guide](#)

*For questions about this report, please contact The Hawaii Health Data Warehouse*

[profiles@hhdw.org](mailto:profiles@hhdw.org)


(855) 946-5899 x 15

## Betel Nut Use by School Type, for the Year(s) - 2009, 2011

*Note: Weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### High Schools

	YTS Year	Percent
Ever chewed betel nut with tobacco, all	2009	3.5%
	2011	1.5%




## Betel Nut Use by School Type, for the Year(s) - 2009, 2011

*Note: Weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### Middle Schools

	YTS Year	Percent
Ever chewed betel nut with tobacco, all	2009	1.9%
	2011	1.9%



## Betel Nut Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2009, 2011

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### High Schools

**2011**

State	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>Totals</b>	700	1.5%	0.5 - 2.6

Gender	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>Male</b>	400	1.9%	0.2 - 3.5
<b>Female</b>	300	1.3%	0.0 - 2.6

Grade Level	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>9th Grade</b>	<50	0.3%	0.0 - 0.8
<b>10th Grade</b>	200	1.9%	0.0 - 4.0
<b>11th Grade</b>	200	1.6%	0.1 - 3.1
<b>12th Grade</b>	300	2.7%	0.0 - 5.8

## Betel Nut Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2009, 2011

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### High Schools

#### 2011

DOH Race-Ethnicity	Ever chewed betel nut with tobacco, all		
	#	%	CI
Caucasian	<50	0.5%	0.0 - 1.2
Native Hawaiian	100	1.8%	0.0 - 4.1
Chinese	0	0.0%	0.0 - 0.0
Filipino	100	0.8%	0.0 - 1.8
Japanese	100	1.4%	0.0 - 3.2
Black	0	0.0%	0.0 - 0.0
Other Pacific Islander	200	7.9%	0.8 - 15.0
Other	<50	0.7%	0.0 - 2.3

## Betel Nut Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2009, 2011

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### High Schools

**2009**

State	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>Totals</b>	1,700	3.5%	2.2 - 4.8

Gender	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>Male</b>	1,100	4.4%	2.4 - 6.3
<b>Female</b>	600	2.7%	1.0 - 4.3

Grade Level	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>9th Grade</b>	600	3.8%	1.9 - 5.7
<b>10th Grade</b>	400	3.3%	1.5 - 5.1
<b>11th Grade</b>	300	2.5%	0.7 - 4.3
<b>12th Grade</b>	500	4.4%	0.9 - 8.0

## Betel Nut Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2009, 2011

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### High Schools

#### 2009

DOH Race-Ethnicity	Ever chewed betel nut with tobacco, all		
	#	%	CI
Caucasian	200	3.1%	0.0 - 6.5
Native Hawaiian	300	3.2%	1.2 - 5.2
Chinese	100	4.0%	0.0 - 9.9
Filipino	200	2.1%	0.1 - 4.1
Japanese	100	1.4%	0.0 - 2.9
Black	100	12.6%	0.0 - 27.7
Other Pacific Islander	500	13.2%	4.6 - 21.8
Other	100	1.8%	0.0 - 4.4

## Betel Nut Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2009, 2011

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### Middle Schools

**2011**

State	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>Totals</b>	500	1.9%	1.2 - 2.7

Gender	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>Male</b>	300	2.2%	1.0 - 3.4
<b>Female</b>	200	1.6%	0.8 - 2.4

Grade Level	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>6th Grade</b>	100	1.6%	0.0 - 3.4
<b>7th Grade</b>	100	1.3%	0.5 - 2.2
<b>8th Grade</b>	300	2.7%	1.0 - 4.4



## Betel Nut Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2009, 2011

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### Middle Schools

**2011**

DOH Race-Ethnicity	Ever chewed betel nut with tobacco, all		
	#	%	CI
Caucasian	<50	1.9%	0.0 - 4.6
Native Hawaiian	200	3.0%	0.4 - 5.6
Chinese	0	0.0%	0.0 - 0.0
Filipino	<50	0.3%	0.1 - 0.4
Japanese	100	2.0%	0.0 - 4.0
Black	<50	1.2%	0.0 - 3.6
Other Pacific Islander	100	7.2%	1.1 - 13.3
Other	100	2.8%	0.0 - 6.4

## Betel Nut Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2009, 2011

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### Middle Schools

**2009**

State	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>Totals</b>	600	1.9%	1.0 - 2.8

Gender	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>Male</b>	300	2.1%	1.0 - 3.3
<b>Female</b>	200	1.6%	0.1 - 3.2

Grade Level	Ever chewed betel nut with tobacco, all		
	#	%	CI
<b>6th Grade</b>	100	1.0%	0.0 - 2.2
<b>7th Grade</b>	200	1.3%	0.3 - 2.2
<b>8th Grade</b>	300	2.8%	1.1 - 4.6

## Betel Nut Use by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2009, 2011

*Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35*

### Middle Schools

**2009**

DOH Race-Ethnicity	Ever chewed betel nut with tobacco, all		
	#	%	CI
Caucasian	100	2.4%	0.0 - 4.9
Native Hawaiian	100	2.3%	0.0 - 4.9
Chinese	0	0.0%	0.0 - 0.0
Filipino	100	1.5%	0.1 - 2.9
Japanese	<50	0.8%	0.0 - 1.8
Black	<50	6.6%	0.0 - 16.0
Other Pacific Islander	100	5.6%	0.0 - 11.1
Other	<50	1.0%	0.0 - 2.3