

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to the nearest hundred; weighted percentages, positive responses only; public high school and middle school data; n/r (Not Reportable) - Unweighted respondents less than 35

The weighted data is not available for middle school for 2000 or high school for 2003. Questions for certain health indicators were not asked in all years.

Below are the indicators included in this report, with their long description.

YTS Health Indicator	Health Ind Desc
Perception - thinks SHS is harmful, all (new)	Students who definitely or probably think smoke from other people's cigarettes is harmful to them (new)
Perception - thinks SHS is harmful, curr smk (new)	Current smokers who think smoke from other people's cigarettes is very or somewhat harmful to them
Perception - thinks SHS is harmful, nvr smk	Never smokers who definitely or probably think smoke from other people's cigarettes is harmful to them

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access YTS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access Hawai'i Data Guide](#)

For questions about this report, please contact The Hawaii Health Data Warehouse

profiles@hhdw.org

(855) 946-5899 x 15

SHS Knowledge of Health Effects by School Type, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015


Note: Weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

	YTS Year	Percent
Perception - thinks SHS is harmful, all (new)	2013	92.9%
	2015	92.2%

	YTS Year	Percent
Perception - thinks SHS is harmful, curr smk (new)	2013	81.3%
	2015	75.8%

	YTS Year	Percent
Perception - thinks SHS is harmful, nvr smk	2000	94.1%
	2005	94.6%
	2007	95.3%
	2009	93.4%
	2011	93.1%



SHS Knowledge of Health Effects by School Type, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015


Note: Weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

	YTS Year	Percent
Perception - thinks SHS is harmful, all (new)	2013	92.8%
	2015	92.5%

	YTS Year	Percent
Perception - thinks SHS is harmful, curr smk (new)	2013	75.6%
	2015	76.2%

	YTS Year	Percent
Perception - thinks SHS is harmful, nvr smk	2003	88.2%
	2005	90.2%
	2007	89.2%
	2009	89.7%
	2011	88.9%
	2013	92.8%



SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2015

State	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Totals	36,400	92.2%	90.7 - 93.8	2,100	75.8%	68.6 - 83.1

Gender	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Male	17,500	90.2%	88.3 - 92.2	1,000	69.9%	62.0 - 77.8
Female	18,700	94.4%	92.4 - 96.4	1,000	85.1%	73.3 - 96.9

Grade Level	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
9th Grade	10,500	91.8%	89.9 - 93.7	n/r	n/r	n/r
10th Grade	8,800	91.5%	88.3 - 94.6	n/r	n/r	n/r
11th Grade	8,500	93.5%	90.4 - 96.5	600	83.9%	67.7 - 100.0
12th Grade	8,600	92.7%	88.9 - 96.4	n/r	n/r	n/r

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2015

DOH Race-Ethnicity	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Caucasian	4,600	95.7%	93.1 - 98.2	n/r	n/r	n/r
Native Hawaiian	5,800	89.8%	85.4 - 94.1	n/r	n/r	n/r
Chinese	1,400	93.6%	89.5 - 97.7	n/r	n/r	n/r
Filipino	9,100	92.0%	89.0 - 95.0	n/r	n/r	n/r
Japanese	3,000	91.0%	84.4 - 97.5	n/r	n/r	n/r
Black	700	87.8%	79.0 - 96.6	n/r	n/r	n/r
Other Pacific Islander	2,500	93.2%	88.5 - 97.9	n/r	n/r	n/r
Other	8,200	94.5%	92.0 - 97.1	n/r	n/r	n/r

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2013

State	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Totals	38,100	92.9%	91.2 - 94.6	2,200	81.3%	73.4 - 89.2

Gender	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Male	18,500	91.4%	88.6 - 94.2	1,200	79.4%	67.3 - 91.4
Female	19,500	94.3%	92.1 - 96.6	1,000	83.6%	70.4 - 96.8

Grade Level	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
9th Grade	11,000	92.6%	88.8 - 96.5	n/r	n/r	n/r
10th Grade	9,700	94.2%	91.5 - 96.8	n/r	n/r	n/r
11th Grade	8,700	91.2%	87.8 - 94.6	n/r	n/r	n/r
12th Grade	8,600	93.6%	90.4 - 96.8	n/r	n/r	n/r

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2013

DOH Race-Ethnicity	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Caucasian	4,800	92.7%	89.3 - 96.2	n/r	n/r	n/r
Native Hawaiian	6,100	90.1%	84.7 - 95.5	n/r	n/r	n/r
Chinese	1,500	96.8%	92.9 - 100.0	n/r	n/r	n/r
Filipino	9,100	94.6%	92.0 - 97.1	n/r	n/r	n/r
Japanese	3,200	93.1%	86.6 - 99.5	n/r	n/r	n/r
Black	800	85.8%	71.0 - 100.0	n/r	n/r	n/r
Other Pacific Islander	2,400	90.3%	83.7 - 96.8	n/r	n/r	n/r
Other	8,700	95.9%	93.0 - 98.8	n/r	n/r	n/r

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2011

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	27,400	93.1%	90.7 - 95.4

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	13,500	93.2%	90.0 - 96.3
Female	13,800	93.3%	90.5 - 96.1

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
9th Grade	8,900	92.2%	87.9 - 96.5
10th Grade	6,900	93.9%	89.9 - 97.8
11th Grade	6,700	92.1%	87.9 - 96.3
12th Grade	4,900	95.7%	92.3 - 99.0

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2011

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	3,400	94.4%	88.8 - 100.0
Native Hawaiian	3,400	92.7%	87.4 - 97.9
Chinese	1,200	89.4%	78.3 - 100.0
Filipino	9,000	91.5%	86.2 - 96.9
Japanese	4,400	95.0%	91.5 - 98.6
Black	n/r	n/r	n/r
Other Pacific Islander	1,600	89.2%	78.3 - 100.0
Other	2,200	98.2%	95.7 - 100.0

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2009

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	28,200	93.4%	91.2 - 95.6

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	14,400	91.2%	87.5 - 94.8
Female	13,600	95.8%	92.5 - 99.1

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
9th Grade	9,000	90.1%	84.4 - 95.7
10th Grade	7,700	95.3%	92.5 - 98.1
11th Grade	6,000	96.0%	93.9 - 98.0
12th Grade	5,500	93.7%	89.2 - 98.1

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2009

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	3,500	95.3%	89.1 - 100.0
Native Hawaiian	5,300	92.8%	87.2 - 98.4
Chinese	2,000	97.3%	91.4 - 100.0
Filipino	7,000	95.8%	93.8 - 97.9
Japanese	4,500	94.4%	89.8 - 99.0
Black	n/r	n/r	n/r
Other Pacific Islander	1,600	91.9%	84.2 - 99.6
Other	2,500	90.2%	81.6 - 98.8

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2007

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	31,400	95.3%	93.6 - 97.0

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	16,500	95.9%	92.8 - 99.0
Female	14,700	94.5%	91.9 - 97.2

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
9th Grade	10,500	93.5%	90.0 - 96.9
10th Grade	7,400	96.5%	94.0 - 98.9
11th Grade	7,300	96.8%	94.3 - 99.3
12th Grade	5,900	96.1%	92.5 - 99.7

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2007

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	4,100	94.7%	90.2 - 99.2
Native Hawaiian	4,500	94.7%	89.5 - 99.9
Chinese	n/r	n/r	n/r
Filipino	8,700	94.8%	90.7 - 99.0
Japanese	6,500	99.4%	98.3 - 100.0
Black	n/r	n/r	n/r
Other Pacific Islander	2,100	93.7%	88.0 - 99.5
Other	2,700	95.1%	89.4 - 100.0

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2005

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	40,000	94.6%	92.8 - 96.4

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	21,000	92.6%	89.8 - 95.5
Female	19,000	96.9%	94.8 - 99.0

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
9th Grade	13,900	96.2%	92.1 - 100.0
10th Grade	10,300	92.7%	89.8 - 95.6
11th Grade	7,800	94.8%	91.5 - 98.2
12th Grade	7,700	94.0%	89.6 - 98.4

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2005

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	6,500	92.4%	86.8 - 98.0
Native Hawaiian	6,900	96.9%	92.6 - 100.0
Chinese	2,900	95.9%	92.3 - 99.6
Filipino	8,400	94.2%	90.1 - 98.4
Japanese	7,600	96.0%	93.7 - 98.3
Black	n/r	n/r	n/r
Other Pacific Islander	1,800	83.2%	69.7 - 96.7
Other	2,900	97.1%	92.4 - 100.0

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2000

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	16,300	94.1%	91.0 - 97.2

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	9,200	93.0%	88.0 - 98.1
Female	7,000	95.5%	92.2 - 98.7

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
9th Grade	5,600	90.5%	83.4 - 97.7
10th Grade	4,500	98.2%	95.5 - 100.0
11th Grade	3,400	91.9%	85.6 - 98.3
12th Grade	2,700	97.8%	95.3 - 100.0

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

High Schools

2000

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	2,000	96.9%	90.9 - 100.0
Native Hawaiian	2,800	88.9%	79.2 - 98.7
Chinese	n/r	n/r	n/r
Filipino	2,400	96.5%	91.7 - 100.0
Japanese	n/r	n/r	n/r
Black	n/r	n/r	n/r
Other Pacific Islander	3,700	95.0%	90.3 - 99.7
Other	2,000	91.3%	79.4 - 100.0

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2015

State	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Totals	23,200	92.5%	90.9 - 94.1	500	76.2%	61.3 - 91.2

Gender	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Male	11,000	90.5%	87.8 - 93.1	n/r	n/r	n/r
Female	12,000	94.4%	92.7 - 96.1	n/r	n/r	n/r

Grade Level	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
6th Grade	4,600	92.7%	87.3 - 98.1	n/r	n/r	n/r
7th Grade	9,500	91.5%	89.5 - 93.6	n/r	n/r	n/r
8th Grade	8,900	93.4%	91.2 - 95.7	300	89.9%	80.1 - 99.6

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2015

DOH Race-Ethnicity	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Caucasian	2,600	91.4%	88.1 - 94.7	n/r	n/r	n/r
Native Hawaiian	3,800	92.3%	89.4 - 95.2	n/r	n/r	n/r
Chinese	800	95.7%	89.4 - 100.0	n/r	n/r	n/r
Filipino	5,400	93.8%	91.8 - 95.8	n/r	n/r	n/r
Japanese	1,800	95.4%	92.1 - 98.7	n/r	n/r	n/r
Black	600	92.9%	89.3 - 96.5	n/r	n/r	n/r
Other Pacific Islander	1,800	83.1%	75.6 - 90.5	n/r	n/r	n/r
Other	5,300	94.6%	92.4 - 96.7	n/r	n/r	n/r

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2013

State	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Totals	24,100	92.8%	90.5 - 95.1	700	75.6%	54.1 - 97.1

Gender	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Male	11,800	91.0%	87.5 - 94.5	n/r	n/r	n/r
Female	12,200	94.6%	92.7 - 96.4	n/r	n/r	n/r

Grade Level	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
6th Grade	5,300	94.0%	89.5 - 98.5	n/r	n/r	n/r
7th Grade	9,900	93.9%	91.6 - 96.3	n/r	n/r	n/r
8th Grade	8,900	90.9%	88.0 - 93.9	n/r	n/r	n/r

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2013

DOH Race-Ethnicity	Perception - thinks SHS is harmful, all (new)			Perception - thinks SHS is harmful, curr smk (new)		
	#	%	CI	#	%	CI
Caucasian	3,000	96.8%	94.0 - 99.6	n/r	n/r	n/r
Native Hawaiian	3,800	88.6%	82.4 - 94.9	n/r	n/r	n/r
Chinese	800	95.1%	90.6 - 99.6	n/r	n/r	n/r
Filipino	5,500	93.5%	90.3 - 96.7	n/r	n/r	n/r
Japanese	2,000	95.1%	90.8 - 99.3	n/r	n/r	n/r
Black	500	89.5%	81.4 - 97.6	n/r	n/r	n/r
Other Pacific Islander	1,900	88.5%	81.8 - 95.2	n/r	n/r	n/r
Other	5,500	94.4%	92.3 - 96.5	n/r	n/r	n/r

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2011

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	18,400	88.9%	86.5 - 91.3

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	8,600	86.4%	82.7 - 90.0
Female	9,800	91.3%	88.1 - 94.5

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
6th Grade	4,200	86.0%	81.0 - 91.0
7th Grade	8,000	92.9%	89.7 - 96.0
8th Grade	6,200	86.5%	82.0 - 91.0

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2011

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	1,900	92.7%	88.0 - 97.3
Native Hawaiian	3,900	85.8%	81.3 - 90.3
Chinese	600	89.3%	79.7 - 98.8
Filipino	5,400	87.7%	84.3 - 91.1
Japanese	2,400	95.7%	91.0 - 100.0
Black	400	94.7%	87.6 - 100.0
Other Pacific Islander	1,000	84.0%	73.1 - 94.8
Other	1,400	90.0%	81.5 - 98.6

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2009

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	21,100	89.7%	87.2 - 92.3

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	10,700	86.9%	83.5 - 90.2
Female	10,300	92.9%	90.2 - 95.5

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
6th Grade	4,900	88.3%	83.6 - 92.9
7th Grade	8,300	90.0%	86.5 - 93.4
8th Grade	7,900	90.7%	86.6 - 94.7

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2009

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	2,100	96.9%	92.7 - 100.0
Native Hawaiian	3,600	85.3%	78.0 - 92.7
Chinese	900	93.6%	84.4 - 100.0
Filipino	5,700	87.5%	83.2 - 91.8
Japanese	3,600	93.9%	90.1 - 97.7
Black	400	92.6%	82.1 - 100.0
Other Pacific Islander	1,300	93.4%	86.6 - 100.0
Other	2,100	89.9%	84.2 - 95.6

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2007

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	26,800	89.2%	85.8 - 92.6

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	13,400	87.6%	84.4 - 90.9
Female	13,300	90.8%	86.0 - 95.6

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
6th Grade	8,500	87.8%	79.7 - 95.8
7th Grade	8,700	88.2%	84.5 - 91.8
8th Grade	9,400	92.1%	89.2 - 95.0

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2007

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	2,400	96.5%	92.3 - 100.0
Native Hawaiian	5,400	86.6%	79.3 - 93.9
Chinese	1,400	91.1%	79.4 - 100.0
Filipino	8,100	86.6%	81.1 - 92.1
Japanese	3,600	94.7%	91.2 - 98.2
Black	n/r	n/r	n/r
Other Pacific Islander	1,400	84.7%	70.6 - 98.8
Other	2,400	92.3%	84.7 - 100.0

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2005

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	28,000	90.2%	87.8 - 92.6

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	13,900	90.8%	87.8 - 93.9
Female	14,000	89.8%	87.1 - 92.5

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
6th Grade	4,800	87.2%	82.8 - 91.6
7th Grade	12,100	91.3%	88.7 - 94.0
8th Grade	10,700	90.3%	86.2 - 94.5

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2005

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	3,700	93.7%	89.0 - 98.4
Native Hawaiian	5,000	85.7%	79.1 - 92.4
Chinese	1,500	96.3%	90.2 - 100.0
Filipino	8,300	89.6%	86.0 - 93.2
Japanese	3,400	93.2%	87.4 - 99.0
Black	500	87.2%	75.4 - 98.9
Other Pacific Islander	1,400	84.4%	75.4 - 93.4
Other	2,800	92.3%	87.8 - 96.9

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2003

State	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Totals	25,600	88.2%	87.4 - 89.0

Gender	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Male	12,800	86.8%	85.6 - 87.9
Female	12,800	89.7%	88.6 - 90.7

Grade Level	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
6th Grade	9,200	85.7%	84.4 - 87.1
7th Grade	8,600	88.8%	87.4 - 90.2
8th Grade	7,600	90.5%	89.1 - 91.9

SHS Knowledge of Health Effects by School Type, State, Gender, Grade Level, DOH Race-Ethnicity, for the Year(s) - 2000, 2003, 2005, 2007, 2009, 2011, 2013, 2015

Note: Weighted counts rounded to nearest hundred; weighted percentages, positive responses only; n/r (Not Reportable) - Unweighted respondents less than 35

Middle Schools

2003

DOH Race-Ethnicity	Perception - thinks SHS is harmful, nvr smk		
	#	%	CI
Caucasian	2,700	92.7%	90.8 - 94.5
Native Hawaiian	5,100	84.7%	82.8 - 86.6
Chinese	1,100	88.6%	84.7 - 92.5
Filipino	6,500	88.1%	86.5 - 89.7
Japanese	3,800	92.4%	90.8 - 94.1
Black	900	87.4%	82.9 - 92.0
Other Pacific Islander	1,300	82.8%	78.9 - 86.8
Other	3,000	87.9%	85.7 - 90.2